



profili ad omega Ω

**PROFILI APERTI
MONOROTAI**

B	H	C	Spessore in mm			Thickness in mm		
			1,5	2	2,5	3	3,5	4
Dimensioni Sizes			Peso kg/ml			Weight kg/m		
20	20	15	0,92	1,16				
25	20	15	0,98	1,24				
50	20	15	1,27	1,63				
25	25	15	1,10	1,40				
30	25	15	1,15	1,47				
40	25	15	1,27	1,63				
50	25	10	1,27	1,63				
15	30	15	1,09	1,40				
20	30	15	1,15	1,48				
30	30	15	1,27	1,63				
50	30	15	1,51	1,95				
60	30	20	1,74	2,26				
20	35	30	1,63	2,10				
15	40	20	1,45	1,87				
25	40	15	1,45	1,87				
30	40	20	1,63	2,10				
40	40	20	1,74	2,26				
50	40	20	1,86	2,42				
30	45	15	1,63	2,10				
30	45	20	1,74	2,26				
50	45	15	1,86	2,42				
60	45	25	2,21	2,89				
25	50	15	1,68	2,18	2,65			
30	50	15	1,74	2,26	2,75			
30	50	20	1,86	2,42	2,94			
40	50	20	1,98	2,58	3,14			
45	50	20		2,65	3,24	3,79		
50	50	20	2,10	2,73	3,34			
25	60	20		2,65	3,24	3,79		
40	60	25		3,05	3,73	4,38		
45	60	25		3,12	3,83	4,50		
50	60	25		3,20	3,92	4,62		
50	70	25		3,51	4,31	5,08		
50	75	25		3,67	4,51	5,32		
60	75	25		3,83	4,71	5,56		
40	80	25		3,67	4,51	5,32		
40	90	25		3,99	4,91	5,79		
50	100	30		4,66	5,70	6,73		
60	100	30			5,39	6,97		
50	110	30			6,08	7,21		
50	120	30			6,47	7,67		
60	120	30		5,41	6,67	7,91		
80	120	40			7,45	8,85		
80	150	45				10,50	12,14	13,75

* I pesi sono indicativi e possono variare secondo le tolleranze commerciali